


| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|--|---|---------------------|
| 1 | 200 | 717/162.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 11:47 |
| 2 | 85 | 717/165.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 11:47 |
| 3 | 58 | 717/166.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:01 |
| 4 | 61 | ((external and internal) same (object class)) same (version\$3 (version adj conflict)) and @ad<=20001129 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:02 |
| 5 | 148 | 717/120.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:02 |
| 6 | 55 | 717/121.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:02 |
| 7 | 263 | 717/140.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:02 |
| 8 | 97 | 717/163.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:02 |
| 9 | 37 | 717/164.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:03 |
| 10 | 0 | (static\$4 adj compil\$5) same (symbol adj version) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:03 |
| 11 | 0 | (static\$4 adj compil\$5) same (symbol with version) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:03 |
| 12 | 2 | (static\$4 adj compil\$5) and (symbol with version) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:03 |
| 13 | 34 | compil\$5 same (symbol with version) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:04 |
| 14 | 91 | ((external and internal) same (object class)) same version\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2004/02/12 12:04 |

| | | | | |
|----|-----|--|---|---------------------|
| 15 | 91 | ((external and internal) same (object class)) same (version\$3 (version adj conflict)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 12:05 |
| - | 63 | method with resol\$ with clon\$3 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 08:23 |
| - | 2 | method with resol\$ with clon\$3 and (object-oriented object adj1 oriented) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 08:24 |
| - | 65 | clon\$3 with (method object class) with (resolv\$3 resolution) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 08:41 |
| - | 29 | clon\$3 with (method object class) with (resolv\$3 resolution) and software | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 08:45 |
| - | 278 | clon\$3 with (method object class) and (object-oriented object adj1 oriented) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 08:45 |
| - | 15 | clon\$3 with (method object class) with (version conflict\$3) and (object-oriented object adj1 oriented) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB | 2004/02/12 09:42 |



[> home](#) [> about](#) [> feedback](#) [> login](#)

US Patent & Trademark Office



Search Results

Search Results for: **[clon* <SENTENCE> (method) <SENTENCE> resol*]**
 Found **5** of **127,132** searched.

Search within Results



[> Advanced Search](#) [> Search Help/Tips](#)

Sort by: Title Publication Publication Date Score Binder


Results 1 - 5 of 5 short listing

- 1** Contributed session 5: Cooperation and coordination in the turn-taking dilemma 100%

Daniel B. Neill
Proceedings of the 9th conference on Theoretical aspects of rationality and knowledge
 June 2003
 In many real-world situations, "cooperation" in the simple sense of the Prisoner's Dilemma is not sufficient for success: instead, cooperators must precisely coordinate more complex behaviors in a noisy environment. We investigate one such model, the *Turn-Taking Dilemma*, a variant of the repeated Prisoner's Dilemma in which the highest total payoff is achieved not by simultaneous mutual cooperation, but by taking turns defecting (alternating temptation and sucker payoffs). The Turn-Taking ...
- 2** Using types to analyze and optimize object-oriented programs 100%

Amer Diwan , Kathryn S. McKinley , J. Eliot B. Moss
ACM Transactions on Programming Languages and Systems (TOPLAS) January 2001
 Volume 23 Issue 1
 Object-oriented programming languages provide many software engineering benefits, but these often come at a performance cost. Object-oriented programs make extensive use of method invocations and pointer dereferences, both of which are potentially costly on modern machines. We show how to use types to produce effective, yet simple, techniques that reduce the costs of these features in Modula-3, a statically typed, object-oriented language. Our compiler performs type-based alias analysis to ...
- 3** An efficient algorithm for computing MHP information for concurrent Java programs 100%

Gleb Naumovich , George S. Avrunin , Lori A. Clarke
ACM SIGSOFT Software Engineering Notes , Proceedings of the 7th European engineering conference held jointly with the 7th ACM SIGSOFT international symposium on Foundations of software engineering October 1999
 Volume 24 Issue 6
 Information about which statements in a concurrent program may happen in parallel (MHP) has a number of important applications. It can be used in program optimization, debugging, program understanding tools, improving the accuracy of data flow approaches, and detecting synchronization anomalies, such as data races. In this paper we propose a data flow algorithm for computing a conservative estimate of the MHP information for Java


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for "clone method" interface resolution.

Results 1 - 10 of about 698. Search took 0.26 seconds.

Marker Class

... to be required to actually implement the **clone method**. ... **Resolution**: Make the method available high in the ... class), but provide a special **interface** that defines ...

www.xp123.com/wwake/patterns/pat9711.shtml - 4k - [Cached](#) - [Similar pages](#)

Infosapient Classes: C-Index

... in class **infosapient.resolution.FzyCorrelationAverage** CLASSVERSION_IDENTIFIER ... Method in **interface** **infosapient.system.Observable** **clone()** - Method in class ...

info-sapient.sourceforge.net/UML_Models/api_docs/index-files/index-4.html - 50k - [Cached](#) - [Similar pages](#)

[doc] Ch2 Program Structures

File Format: Microsoft Word 6 - [View as HTML](#)

... class Z extends Y implements X {}. (3) Conflict **Resolution**. ... Java Package. Package: how to scope class, **interface**, method, variable. ... 7. The **Clone Method**. 7.1 Clone. ...

cs.nju.edu.cn/cs2/jiaoxue/course/java/jfilm08.doc - [Similar pages](#)

Class KsTimeSpan

... we let basically do the **Object.clone()** method do the ... Returns: Time span with milliseconds **resolution**. add. ... Specified by: **xdrEncode** in **interface** **XdrAble** Throws ...

acplt.pit.rwth-aachen.de/ks/online/acplt/ doc/org/acplt/ks/KsTimeSpan.html - 27k - [Cached](#) - [Similar pages](#)

Class KsTime

... let basically do the **Object.clone()** method do the ... Specified by: **xdrDecode** in **interface** **XdrAble** Throws ... Currently, only millisecond **resolution** can be printed if ...

acplt.pit.rwth-aachen.de/ks/online/acplt/ doc/org/acplt/ks/KsTime.html - 29k - [Cached](#) - [Similar pages](#)

Implementing a Better Timer

... PLARGE_INTEGER(lpFrequency)); } Global scope **resolution** operator is ... and that is accomplished by cloning the **interface**. ... you know why **ITimer** has a **Clone method**. ...

www.rpi.edu/~pudeyo/articles/better_timer.html - 25k - [Cached](#) - [Similar pages](#)

[PPT] Interfaces and Arrays

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... and dispatching each method incorporating conflict **resolution** strategies ... public **interface** **Cloneable** ... **clone()** method creates an object from another object of the ...

www.cs.wright.edu/~tkprasadi/courses/cs884/java6Face.ppt - [Similar pages](#)

Bitmap Class (GDI+)

... a Windows Microsoft Windows Graphics Device **Interface** (GDI) bitmap ... INT,PixelFormat), The **Clone method** creates a ... **SetResolution** method sets the **resolution** of this ...

msdn.microsoft.com/library/en-us/gdicpp/GDIPlus/GDIPlusReference/Classes/Bitmap.asp - 27k - [Cached](#) - [Similar pages](#)

The Java Language Specification


... Observable , 644 cloning **clone method** of class ... Vector , 656 **Cloneable interface**, 465 **CloneNotSupportedException** ... symbolic reference **resolution** implications of ...

java.sun.com/docs/books/jls/first_edition/html/j.index.doc3.html - 26k - [Cached](#) - [Similar pages](#)

DB2COMFeatures

... elements to your class through our **interface**, plus the ... provides a layer of data conflict **resolution** by only ... the generated code include a **Clone method** which is ...

www.nantronix.net/Products/DB2COMFeatures.htm - 13k - [Cached](#) - [Similar pages](#)


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

method resolution clone "version cor

Google Search

[Web](#) - [Images](#) - [Groups](#) - [Directory](#) - [News](#)

Searched the web for method resolution clone "version conflict". Results 1 - 10 of about 13. Search took 0.45 second.

Mandrake User: RPM - Print Version

... Other capabilities like the automatic **resolution** of dependencies or ... pingus pingus:summary:Pingus
- A free Lemmings **clone**. ... or use the brute-force **method** and just ...

www.mandrakeuser.org/docs/basics/print/rpm.html - 43k - [Cached](#) - [Similar pages](#)

Error messages and fixes #4

... The **resolution** in this article also works for these ... The **clone** makers, to retain compatibility,
kept similar ... To resolve this issue, use the appropriate **method**: ...

www.geocities.com/budalien98_98/errors4.html - 23k - [Cached](#) - [Similar pages](#)

[PDF] Using Wiki

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The wiki **method** is therefore made as simple and intuitive as ... search with a much more
fine-grained **resolution** to answer ... or the page map in some **clone** variations ...

www.leuf.net/wiki/files/WikiWay_04.pdf - [Similar pages](#)

Computing Net - win98 "Program Manager" crashes Webcheck.dll after ...

... My machine is a standard IBM **Clone**, 166mhz, 64 mgs RAM, running a Win 98 upgrade
from OSR2. ... **RESOLUTION** To resolve this issue, Use the appropriate **method**: ...

www.computing.net/windows95/wwwboard/forum/3618.html - 94k - [Cached](#) - [Similar pages](#)

[PDF] Preface I Notice

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... is protected by **method** claims of ... 3-14 **Clone Mode**3 ... 4-3

Version Conflict Message ...

www.eurocom.com/support/manuals/LCD-PC_LP300.pdf - [Similar pages](#)

[PDF] L285P English Users Manual book

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 3-10 **Clone Mode**3-11

Extended Desktop Mode ... 4-3 **Version Conflict Message** ...

www.bestcomputer.se/support/manualer/Mate200P4/BESTMate200%20ATI.pdf - [Similar pages](#)

New Debian sparc Packages

... Korean text input ami-gnome - An X input **method** server for ... low * update to current
policy hatman - Customizable high-**resolution** Pacman **clone** hatman 0.5 ...

lists.debian.org/debian-changes/1999/debian-changes-199912/msg00016.html - 101k - [Cached](#) - [Similar pages](#)

[PDF] Preface I Notice

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... that is protected by **method** claims of ... Page 23. Preface XXII **Clone Mode** ... 4-3 **Version**

C nlflict Message4 ...

www.acomp.hu/pub/gericom/Notebook/Manuals/English/OverdoseP4.pdf - Supplemental Result - [Similar pages](#)


[PDF] Fourth Edition (August 2000)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Fourth Edition (August 2000) This publication could include technical
inaccuracies or typographical errors. Changes are periodically ...

www.wirehub.nl/~redaje/manuals/pc_updater/PC_UPdater3.1.pdf - Supplemental Result - [Similar pages](#)

[PDF] Highly Available IBM eNetwork Firewall


[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)

[Web](#) · [Images](#) · [Groups](#) · [Directory](#) · [News](#)

Searched the web for method resolution clone "redundancy check". Results 1 - 10 of about 245. Search took 0.25 sec

HIGHEND2D.COM - Rosetta

... the process or the result will not be a **clone**. ... The only sure **method** of judgement is to make a ... that results from not having enough color **resolution** to properly ...

www.highend2d.com/rosetta/?cat=c-101k - [Cached](#) - [Similar pages](#)

Digital Video Forum - Archives

... give me the real story; Best **method** of copying ... problem with capturing; change video **resolution**; audio but not image ... Searching for Menu_Edit & **Clone**-DVD 3; Problem w ...

forum.digital-digest.com/archive/forum/4-1.html - 35k - [Cached](#) - [Similar pages](#)

Business networking solutions, office networking & networking ...

... which performs data forwarding, address **resolution** and other ... Linux: A freeware, **clone** version of the UNIX ... Little-Endian: A **method** of storing or transmitting ...

www.abtecnet.com/jargon/jargon1.htm - 74k - [Cached](#) - [Similar pages](#)

[PDF] VERITAS Backup Exec™ 9.1 for Windows Servers SUPERIOR WINDOWS ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Pack Option* — providing the ability to **clone** and remotely ... discussed earlier is one **m thod** of providing ... self-help diagnostics and problem **resolution** scripts. ...

www.asapsoftware.com/VERITAS/BEWS91_Core_datasheet.pdf - [Similar pages](#)

[doc] EBU Technical Review Paper

File Format: Microsoft Word 97 - [View as HTML](#)

... an almost identical MPEG-2 bitstream (a **clone** of the ... visible, the data is scrambled using a **method** known as ... browse format was chosen to be low-**resolution** MPEG I ...

www.broadcastpapers.com/sigdis/Snell&WilcoxMoleTechnology.doc - [Similar pages](#)

Internet and Unix Dictionary: answers.html

... inroads in their market dominance by **clone** manufacturers ... ARP Acronym for Address **Resolution** Protocol, a protocol ... Asynchronous A **method** of data transfer in which ...

www.msg.net/kadow/answers/answers.html - 101k - [Cached](#) - [Similar pages](#)

[PDF] Transparent concatenation of MPEG compression

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to an almost identical MPEG bitstream (a **clone** of the ... being visible, the data is scrambled using a **method** known as ... eg 4:2:0 as opposed to 4:2:2 **resolution**). ...

www.ebu.ch/trev_275-wells.pdf - [Similar pages](#)

[PDF] Transparent concatenation of MPEG compression

File Format: PDF/Adobe Acrobat

... CBR Constant bit-rate CRC Cyclic **redundancy check** DCT Discrete ... to an almost identical MPEG bitstream (a **clone** of the ... What is required is a **method** of conveying ...

www.bbc.co.uk/rcl/pubs/papers/pdffiles/Wells-05.pdf - [Similar pages](#)

[PDF] ATLANTIC Technical Papers 1997/98

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to an almost identical MPEG bitstream (a **clone** of the ... the data is scrambled using a **meth d** known as ... and down-conversion filters adds further **res lution** loss to ...

www.bbc.co.uk/atlanic/pdf-files/ibc98ndwrhcg.pdf - [Similar pages](#)

Glossary of Terms